Author Index to Volume 19, 2006

Aikens JE. *See* Zazove P
Aldea D. *See* Desai S
Allen D. *See* Howell L
Araya-Guerra R. *See* Hansen LB
Arnold-Canuso A. *See* Stephens MB
Asche SE. *See* Madlon-Kay DJ
Ashford AR. *See* Gorin SS
Aspy CB. *See* Cotton A; Ferrell CW
Astin JA, Soeken K, Sierpina VS, Clarridge BR. Barriers to the Integration of Psychosocial Factors in Medicine: Results of a National Survey of Physicians, 19(6):557–565
Aukerman D. *See* Aukerman MM
Aukerman MM, Aukerman D, Bayard M, Tudiver F, Thorp L, Bailey B. Exercise and Restless Legs Syndrome: A Randomized Controlled Trial, 19(5):487–493
Averitt M. *See* Symm B

Bailey B. *See* Aukerman D
Bailey JM. Parvovirus B-19 Presenting with Severe Sepsis in a Previously Healthy 25-year-old Female, 19(3): 317–319
Bai Y. *See* Savageau JA
Bakx C. *See* van Weel C
Barron MA. *See* Love MM
Bayard M. *See* Aukerman D
Bell MM. *See* Dicken-Kano R
Beresford SAA. *See* Oh RC
Berk T. *See* Kovacs DJ
Best LG. *See* Stripe SC
Bhatara VS, Vogt HB, Patrick S, Doniparthi L, Ellis R. Acceptability of a Web-based Attention-deficit/ Hyperactivity Disorder Scale (T-SKAMP) by Teachers: A Pilot Study, 19(2):195–200
Binienda J. *See* Porcerelli JH
Blankfield RP. Can Natriuretic Peptide Levels Predict the Cardiovascular Complications of COX-2 Inhibitors and Nonsteroidal Anti-inflammatory Drugs?, 19(2):178–182
Bodenheimer T. *See* Handley M; MacGregor K
Bonham AJ. *See* Eaton CB
Bowdler NC. *See* Ely JW
Boyle RG. *See* Solberg LI
Braksmajer AS. *See* Desai S; Jaber R
Brooks A. *See* Fox CH
Brooks DA, Clover R. Pertusis Infection in the United States: Role for Vaccination of Adolescents and Adults, 19(6):603–611
Bryant CA. Nursing the Adopted Infant, 19(4):374–379
Bublitz C. *See* Cain JJ
Burg MA, Fraser K, Gui S, Grant K, Kosch SG, Nierenberg B, Oyama O, Pomm H, Sibille K, Spruill T, Swartz V. Treatment of Menopausal Symptoms in Family Medicine Settings following the Women's Health Initiative Findings, 19(2):122–131
Bush RL. *See* Collins TC

Cain JJ, Dickinson WP, Fernald D, Bublitz C, Dickinson LM, West D. Family Physicians and Youth Tobacco-free Education: Outcomes of the Colorado Tar Wars Program, 19(6): 579–589
Cardoza-Favarato G. *See* Gilson M
Carney PA. *See* Smits A
Carter CA. *See* Eberl MM
Cashman SB. *See* Savageau JA
Chambliss ML. *See* Ely JW
Chin JL. *See* Wallis DH
Cho DY, Mold JW, Roberts M. Further Investigation of the Negative Association between Hypertension and Peripheral Neuropathy in the Elderly: An Oklahoma Physicians Resource/Research Network (OK-PRN) Study, 19(3):240–250
Clark EC. *See* Ely JW
Clarridge BR. *See* Astin JA
Clover R. *See* Brooks DA
Cogan R. *See* Porcerelli JH
Cole-Harding S. *See* Stripe SC
Collins M. *See* Savageau JA
Collins TC, Suarez-Almazor M, Bush RL, Peterson NJ. Gender and Peripheral Arterial Disease, 19(2): 132–140
Cook K. *See* Mengél MB
Cotton A, Aspy CB, Mold J, Stein H. Clinical Decision-Making in Blood Pressure Management of Patients with Diabetes Mellitus: An Oklahoma Physicians Resource/Research Network (OKPRN) Study, 19(3): 232–239

Daaleman TP. Reorganizing Medicare for Older Adults with Chronic Illness, 19(3):303–309
Dabova-Missova S. *See* Magar NA
Daneels E. *See* Desai S
Dascal-Weichhendler H. *See* Janssen P
Delzell JE Jr. *See* Ringdahl E
Denberg T. Religious Attendance: More Cost-Effective Than Lipitor?, 19(4):430
Desai A. *See* Gilson M
Desai M. *See* Gorin SS
Desai S, Aldea D, Daneels E, Soliman M, Braksmajer AS, Kopes-Kerr CP. Chronic Addiction to Dextromethorphan Cough Syrup: A Case Report, 19(3):320–323
Dicken-Kano R, Bell MM. Pedometers As a Means to Increase Walking and Achieve Weight Loss, 19(5):524–525
Dickinson LM. *See* Cain JJ
Dickinson M. *See* Parnes B
Dickinson WP. *See* Cain JJ
Dickman ED. *See* Ferris DG
Doniparthi L. *See* Bhatara VS

Eaton CB, Galliher JM, McBride PE, Bonham AJ, Kappus JA, Hickner J. Family Physician's Knowledge, Beliefs, and Self-reported Practice Patterns Regarding Hyperlipidemia: A National Research Network (NRN), 19(1):46–53
Ebell MH. *See* Ely JW
Eberl MM, Fox CH, Edge SB, Carter CA, Mahoney MC. BI-RADS Classification for Management of Abnormal Mammograms, 19(2): 161–164
Edge SB. *See* Eberl MM
Edwards J. *See* Seehusen DA
Ehara H. Tenderness Over the Hyoid Bone Can Indicate Epiglottitis in Adults, 19(5):517–520
Elder N, Ricer R, Tobias B. How Respected Family Physicians Manage Difficult Patient Encounters., 19(6): 533–541
Ellis R. *See* Bhatara VS
Ely JW, Kennedy CM, Clark EC, Bowdler NC. Abnormal Uterine Bleeding: A Management Algorithm, 19(6):590–602
Ely JW, Osheroff JA, Chambliss ML, Ebell MH. Approach to Leg Edema of Unclear Etiology, 19(2):148–160
Enstad CJ. *See* Solberg LI

Fenton JJ, Levine MD, Mahoney LD, Heagerty PJ, Wagner EH. Bringing Geriatricians to the Front Lines: Evaluation of a Quality Improvement Intervention in Primary Care, 19(4):331–339
Fernald D. *See* Cain JJ; Hansen LB
Fernald DE. *See* Hildebrandt DE
Ferrell CW, Aspy CB, Mold JW. Management of Prescription Refills in Primary Care: An Oklahoma Physicians Resource/Research Network (OKPRN) Study, 19(1):31–38
Ferris DG, Francis SL, Dickman ED, Miler-Miles K, Waller JL, McClendon N. Variability of Vaginal pH Determination by Patients and Clinicians, 19(4):368–373
Fifield B. *See* Stripe SC
Fontaine P. *See* Peterson KA

Ford A. *See* Nagykaldi Z
Forjuoh SN. *See* Symm B
Fox CH. *See* Eberl MM
Fox CH, Brooks A, Zayas LE, McClellan W, Murray B. Primary Care Physicians' Knowledge and Practice Patterns in the Treatment of Chronic Kidney Disease: An Upstate New York Practice-based Research Network (UNYNET) Study, 19(1): 54–61
Francis SL. *See* Ferris DG
Fraser K. *See* Burg MA

Galliher JM. *See* Eaton CB
Gemson D. *See* Gorin SS
Gilson M, Desai A, Cardoza-Favarato G, Vroman P, Thornton JA. Does Gel Affect Cytology or Comfort in the Screening Papanicolaou Smear?, 19(4):340–344
Gjeltema K. *See* MacGregor K
Gjerdingen DK. *See* Magar NA
Glasgow RE. RE-AIMing Research for Application: Ways to Improve Evidence for Family Medicine, 19(1): 11–19
Goldstein A. Goodbyes, 19(4):416–417
Gorenflo DW. *See* Zazove P
Gorin SS, Ashford AR, Lantigua R, Hossain A, Desai M, Troxel A, Gemson D. Effectiveness of Academic Detailing on Breast Cancer Screening among Primary Care Physicians in an Underserved Community, 19(2):110–121
Grant K. *See* Burg MA
Green LA, Hickner J. A Short History of Primary Care Practice-based Research Networks: From Concept to Essential Research Laboratories, 19(1):1–10
Gui S. *See* Burg MA

Haas DM. *See* Stephens MB
Hackelton KL. Acute Visual Loss as the Presenting Complaint of Hereditary Hemorrhagic Telangiectasia, 19(6):637–640
Hagen MD, Ivins DJ, Puffer JC, Rinaldo J, Roussel GH, Sumner W, Xu J. Maintenance of Certification for Family Physicians (MC-FP) Self Assessment Modules (SAMs): The First Year, 19(4):398–403
Hall DE. Religious Attendance: More Cost-Effective Than Lipitor?, 19(2): 103–109, 19(4):431–433
Hammer H. *See* Handley MA
Handley M. *See* MacGregor K
Handley M, MacGregor K, Schillinger D, Sharifi C, Wong S, Bodenheimer T. Using Action Plans to Help Primary Care Patients Adopt Healthy Behaviors: A Descriptive Study, 19(3):224–231
Handley MA, Hammer H, Schillinger D. Navigating the Terrain between Research and Practice: A Collaborative Research Network (CRN) Case Study in Diabetes Research, 19(1):85–92
Hansen LB, Fernald D, Araya-Guerra R, Westfall JM, West D, Pace W. Pharmacy Clarification of Prescriptions Ordered in Primary Care: A Report from the Applied Strategies for Improving Patient Safety (ASIPS) Collaborative, 19(1): 24–30
Hartz A, James PA. A Systematic Review of Studies Comparing Myocardial Infarction Mortality for Generalists and Specialists: Lessons for Research and Health Policy, 19(3): 291–302
Heagerty PJ. *See* Fenton JJ
Hickner J. *See* Eaton CB; Green LA
Hildebrandt DE, Westfall JM, Fernald DH, Pace WD. Harm Resulting from Inappropriate Telephone Triage in Primary Care, 19(5):437–442
Hinnen D, Nielsen LL, Waninger A, Kushner P. Incretin Mimetics and DPP-IV Inhibitors: New Paradigms for the Treatment of Type 2 Diabetes, 19(6):612–620
Holcomb S. *See* Parnes B
Hossain A. *See* Gorin SS
Howell L, Kochhar K, Saywell R Jr, Zollinger T, Koehler J, Mandzuk C, Sutton B, Sevilla-Martir J, Allen D. Use of Herbal Remedies by Hispanic Patients: Do They Inform Their Physician?, 19(6):566–578
Hustead TR. *See* Lynch JH

Ivins DJ. *See* Hagen MD

Jaber R, Braksmajer A, Trilling JS. Group Visits: A Qualitative Review of Current Research, 19(3):276–290
James PA. *See* Hartz A
Janssen P, Dascal-Weichhendler H, McGregor M. Assessment for Intimate Partner Violence: Where Do We Stand?, 19(4):413–415

Kappus JA. *See* Eaton CB
Keneally RJ. *See* Lynch JH
Kennedy CM. *See* Ely JW
Kochhar K. *See* Howell L
Koehler J. *See* Howell L
Kopes-Kerr CP. *See* Desai S
Kosch SG. *See* Burg MA
Kovacs DJ, Berk T. Gastrointestinal Bleeding of Obscure Origin Undetected by Multiple Tests for Fecal Occult Blood and Diagnosed Only by Capsule Endoscopy: A Case Report, 19(6):641–642
Kruse RL. *See* Ringdahl E
Kuo D. *See* Vijaysadan V
Kushner P. *See* Hinnen D

Lafferty WE. *See* Oh RC
Lantigua R. *See* Gorin SS
Larimore W. *See* Mann JR
Lee DT. *See* Pejic RN
Lee MY. *See* Wallis DH
Lesser LI. Prevalence and Type of Brand Name Fast Food at Academic-affiliated Hospitals, 19(5):526–527
Levine MD. *See* Fenton JJ
Levin L. *See* Zink T
Loomis DM. *See* Pastore PA
Lopez JA, Reich D. Choroid Plexus Cysts, 19(4):422–425
Lorig K. Action Planning: A Call to Action, 19(3):324–325
Love MM, Pearce KA, Williamson MA, Barron MA, Shelton BJ. Patients, Practices, and Relationships: Challenges and Lessons Learned from the Kentucky Ambulatory Network (KAN) CaRESS Clinical Trial, 19(1):75–84
Lynch JH, Keneally RJ, Hustead TR. Horner's Syndrome and Trigeminal Nerve Palsy following Epidural Analgesia for Labor, 19(5):521–523

MacGregor K. *See* Handley M
MacGregor K, Handley M, Wong S, Sharifi C, Gjeltema K, Schillinger D, Bodenheimer T. Behavior-Change Action Plans in Primary Care: A Feasibility Study of Clinicians, 19(3):215–223
Madlon-Kay DJ, Asche SE. Factors That Influence the Receipt of Well Baby Care in the First 2 Weeks of Life, 19(3):258–264
Magar NA, Dabova-Missova S, Gjerdingen DK. Effectiveness of Targeted Anticipatory Guidance during Well-child Visits: A Pilot Trial, 19(5):450–458
Mahoney LD. *See* Fenton JJ
Mahoney MC. *See* Eberl MM
Mandzuk C. *See* Howell L
Manning DA. *See* Stephens MB
Mann JR, Larimore W. Impact of Religious Attendance on Life Expectancy, 19(4):429–430
Martindale JR. *See* Strayer SM
McBride PE. *See* Eaton CB
McClellan W. *See* Fox CH
McClendon N. *See* Ferris DG
McGregor M. *See* Janssen P
McLoughlin M. *See* Savageau JA
Meador HE. *See* Zazove P

Mengél MB, Searight HR, Cook K. Preventing Alcohol-exposed Pregnancies, 19(5):494–505
Meza J. *See* Schwartz KL
Miler-Miles K. *See* Ferris DG
Millard PS. Religious Attendance: More Cost-Effective Than Lipitor?, 19(4):431
Mold JW. *See* Cho DY; Cotton A; Ferrell CW; Nagykaldi Z; van Weel C
Muench J. *See* Wu J
Murray B. *See* Fox CH

Nagykaldi Z, Mold JW, Robinson A, Niebauer L, Ford A. Practice Facilitators and Practice-based Research Networks, 19(5):506–510
Neale AV. *See* Schwartz KL
Nease DE. *See* Zazove P
Nelson WW. *See* Solberg LI
Niebauer L. *See* Nagykaldi Z; Parnes B
Nielsen LL. *See* Hinnen D
Nierenberg B. *See* Burg MA
Northrup J. *See* Schwartz KL

Oh RC, Beresford SAA, Lafferty WE. The Fish in Secondary Prevention of Heart Disease (FISH) Survey—Primary Care Physicians and ω3 Fatty Acid Prescribing Behaviors, 19(5):459–467
Osheroff JA. *See* Ely JW
Oyama O. *See* Burg MA

Pace W. *See* Hansen LB; Parnes B
Pace WD. *See* Hildebrandt DE
Pandhi N, Saultz JW. Patients' Perceptions of Interpersonal Continuity of Care, 19(4):390–397
Parnes B, Niebauer L, Holcomb S, Dickinson M, Westfall J, VanVorst B, Pace W. Provider Deferred Decisions on Hemoglobin A1c Results: A Report from the Colorado Research Network (CaReNet) and the High Plains Research Network (HPRN), 19(1):20–23
Pastore PA, Loomis DM, Sauret J. Appendicitis in Pregnancy, 19(6): 621–626
Pathman DE. *See* Wroth TH
Patrick S. *See* Bhatara VS
Pearce KA. *See* Love MM
Pejic RN, Lee DT. Hypertriglyceridemia, 19(3):310–316
Peleg R, Shvartzman P. Where Should Family Medicine Papers be Published—Following the Impact Factor?, 19(6):633–636
Perez M. *See* Vijaysadan V
Peterson KA, Fontaine P, Speedie S. The Electronic Primary Care Research Network (ePCRN): A New Era in Practice-based Research, 19(1):93–97
Peterson NJ. *See* Collins TC
Pomm H. *See* Burg MA
Porcerelli JH, West PA, Binienda J, Cogan R. Physical and Psychological Symptoms in Emotionally Abused and Non-abused Women, 19(2):201–204
Preece C. *See* Symm B
Puffer JC. *See* Hagen MD
Putnam F. *See* Zink T

Reich D. *See* Lopez JA
Ricer R. *See* Elder N
Ricker M. *See* Wu J
Rinaldo J. *See* Hagen MD
Ringdahl E, Delzell JE Jr, Kruse RL. Changing Practice Patterns of Family Medicine Graduates: A Comparison of Alumni Surveys from 1998 to 2004, 19(4):404–412
Roberts M. *See* Cho DY
Robinson A. *See* Nagykaldi Z
Roe T. *See* Schwartz KL
Rollins LK. *See* Strayer SM
Roussel GH. *See* Hagen MD

Saultz JW. *See* Pandhi N; Smits A
Sauret J. *See* Pastore PA
Savageau JA, McLoughlin M, Ursan A, Bai Y, Collins M, Cashman SB. Characteristics of Frequent Attenders At a Community Health Center, 19(3):265–275
Saxena R, West C. Peritoneal Dialysis: A Primary Care Perspective, 19(4): 380–389
Saywell R Jr. *See* Howell L
Schillinger D. *See* Handley M; Handley MA; MacGregor K
Schwartz KL, Roe T, Northrup J, Meza J, Seifeldin R, Neale AV. Family Medicine Patients' Use of the Internet for Health Information: A MetroNet Study, 19(1):39–45
Searight HR. *See* Mengél MB
Seehusen DA, Edwards J. Patient Practices and Beliefs Concerning Disposal of Medications, 19(6):542–547
Seifeldin R. *See* Schwartz KL
Sevilla-Martir J. *See* Howell L
Sharifi C. *See* Handley M; MacGregor K
Shelton BJ. *See* Love MM
Shvartzman P. *See* Peleg R
Sibille K. *See* Burg MA
Sierpina VS. *See* Astin JA
Sinatra R. Opioid Analgesics in Primary Care: Challenges and New Advances in the Management of Non-cancer Pain, 19(2):165–177
Smith J. *See* Smits A
Smits A, Carney PA, Smith J, Saultz JW. Research Letter, 19(6):648
Snyder CW. *See* Tyler CV Jr
Soeken K. *See* Astin JA
Solberg LI, Enstad CJ, Boyle RG, Nelson WW. Physician-Patient Interaction for Smoking Cessation Medications: A Dance of Mutual Accommodation?, 19(3):251–257
Soliman M. *See* Desai S
Speedie S. *See* Peterson KA
Spruill T. *See* Burg MA
Stein H. *See* Cotton A
Stephens MB, Manning DA, Arnold-Canuso A, Haas DM. Maternal Shoe Size and Infant Birth Weight: Correlation or Fiction?, 19(4):426–428
Strayer SM, Rollins LK, Martindale JR. A Handheld Computer Smoking Intervention Tool and Its Effects on Physician Smoking Cessation Counseling, 19(4):350–357
Stripe SC, Best LG, Cole-Harding S, Fifield B, Talebdoost F. Aviation Model Cognitive Risk Factors Applied to Medical Malpractice Cases, 19(6):627–632
Stueber D, Swartz CM. Carvedilol Suppresses Intractable Hiccups, 19(4):418–421
Suarez-Almazor M. *See* Collins TC
Sumner W. *See* Hagen MD
Sur DKC. *See* Wallis DH
Sutton B. *See* Howell L
Swartz CM. *See* Stueber D
Swartz V. *See* Burg MA
Symm B, Averitt M, Forjuoh SN, Preece C. Effects of Using Free Sample Medications on the Prescribing Practices of Family Physicians, 19(5):443–449

Talebdoost F. *See* Stripe SC
Taylor RB. The Promise of Family Medicine: History, Leadership, and the Age of Aquarius, 19(2):183–190
Thien T. *See* van Weel C
Thornton JA. *See* Gilson M
Thorp L. *See* Aukerman D
Tobias B. *See* Elder N
Trilling JS. *See* Jaber R
Troxel A. *See* Gorin SS
Tudiver F. *See* Aukerman D
Tyler CV Jr, Snyder CW. Cancer Risk Assessment: Examining the Family Physician's Role, 19(5):468–477

Ursan A. *See* Savageau JA

van den Bosch W. *See* van Weel C
van den Hoogen H. *See* van Weel C
VanVorst B. *See* Parnes B

van Weel-Baumgarten E. *See* van Weel C

van Weel C, Bakx C, van den Hoogen H, Thien T, van den Bosch W. Long-term Outcome of Cardiovascular Prevention: A Nijmegen Academic Family Practices Network Study, 19(1):62–68

van Weel C, van Weel-Baumgarten E, Mold J. The Importance of Longitudinal Studies in Family Medicine: Experiences of Two Practice-based Research Networks, 19(1):69–74

Vijaysadan V, Perez M, Kuo D. Revisiting Swallowed Troubles: Intestinal Complications Caused by Two Magnets—A Case Report, Review and Proposed Revision to the Algorithm for the Management of Foreign Body Ingestion, 19(5):511–516

Vogt HB. *See* Bhatara VS

Vroman P. *See* Gilson M

Wagner EH. *See* Fenton JJ

Wallace A. *See* Weeks WB

Waller JL. *See* Ferris DG

Wallis DH, Chin JL, Sur DKC, Lee MY. Increasing Rates of Influenza Vaccination During Pregnancy: A Multisite Interventional Study, 19(4):345–349

Waninger A. *See* Hinnen D

Weeks WB, Wallace A. The Influence of Race and Gender on Family Physicians' Annual Incomes, 19(6):548–556

West C. *See* Saxena R

West D. *See* Cain JJ; Hansen LB

Westfall J. *See* Parnes B

Westfall JM. *See* Hansen LB; Hildebrandt DE

West PA. *See* Porcerelli JH

Williamson MA. *See* Love MM

Wollan P. *See* Zink T

Wong S. *See* Handley M; MacGregor K

Wroth TH, Pathman DE. Primary Medication Adherence in a Rural Population: The Role of the Patient-Physician Relationship and Satisfaction with Care, 19(5):478–486

Wu J, Ricker M, Muench J. Copper Deficiency as Cause of Unexplained Hematologic and Neurologic Deficits in Patients with Prior Gastrointestinal Surgery, 19(2):191–194

Xu J. *See* Hagen MD

Zayas LE. *See* Fox CH

Zazove P, Meador HE, Aikens JE, Nease DE, Gorenflo DW. Assessment of Depressive Symptoms in Deaf Persons, 19(2):141–147

Zink T, Levin L, Wollan P, Putnam F. Mothers' Comfort with Screening Questions about Sensitive Issues, Including Domestic Violence, 19(4):358–367

Zollinger T. *See* Howell L

Subject Index to Volume 19, 2006

Abnormal uterine bleeding, management algorithm, 19(6):590–602
Action plans
behavior-change, in primary care, feasibility study of clinicians, 19(3):215–223
call to action, 19(3):324–325
use to help primary care patients adopt healthy behaviors, descriptive study, 19(3):224–231
Acute visual loss, in hereditary hemorrhagic telangiectasia, 19(6):637–640
Addiction, chronic, to dextromethorphan cough syrup, 19(3):320–323
Adolescents, pertussis vaccination, 19(6):603–611
Adoption, nursing infants, 19(4):374–379
Alcohol, -exposed pregnancies, preventing, 19(5):494–505
American Board of Family Medicine
emergency/family medicine training, 19(5):528–529
maintenance of certification, 19(2): 211–213; 19(3):326–328; 19(4): 398–403; 19(5):528–529
new officers, board elected, 19(4): 434–435
Pisacano Scholars, 19(1):98–101; 19(6):649–651
Anticipatory guidance, targeted, effectiveness during well-child visits, 19(5):450–458
Appendicitis, in pregnancy, 19(6):621–626
Attention deficit/hyperactivity disorder (ADHD), web-based rating scale (T-SKAMP), acceptability by teachers, 19(2):195–200
Aviation, cognitive risk factors, application to medical malpractice cases, 19(6):627–632

Behavior-change action plans, in primary care, feasibility study of clinicians, 19(3):215–223
BI-RADS classification, for management of abnormal mammograms, 19(2):161–164
Blood pressure
hypertension, peripheral neuropathy and, negative association between, 19(3):240–250
management, of patients with diabetes mellitus, clinical decision-making in, 19(3):232–239
Board News
emergency/family medicine training, 19(5):528–529
maintenance of certification, 19(2): 211–213; 19(3):326–328; 19(4): 398–403; 19(5):528–529
new officers, board elected, 19(4): 434–435
Pisacano Scholars, 19(1):98–101; 19(6):64–651
Breast cancer, screening, effectiveness of academic detailing among primary care physicians in underserved communities, 19(2): 110–121
Breastfeeding, adopted infants, 19(4): 374–379

Cancer, risk assessment, examining the family physician's role, 19(5): 468–477
Capsule endoscopy, diagnosis of gastrointestinal bleeding, 19(6):641–642
Cardiovascular complications, of COX-2 inhibitors and NSAIDs, prediction by natriuretic peptide levels, 19(2):178–182
Cardiovascular disease
prevention
long-term outcome, 19(1):62–68
primary care physicians and ω3 fatty acid prescribing behaviors, 19(5):459–467
risk factors, hyperlipidemia, 19(1): 46–53
Cardiovascular Risk Education and Social Support (CaRESS), clinical trial, challenges and lessons learned from, 19(1):75–84
Carvedilol, suppression of intractable hiccups, 19(4):418–421
Children, well-child visits, effectiveness of targeted anticipatory guidance during, 19(5):450–458
Choroid plexus cysts, 19(4):422–425
Chronic illness, older adults with, reorganizing Medicare for, 19(3): 303–309
Chronic kidney disease, primary care physicians' knowledge and practice patterns, 19(1):54–61
Cognitive risk factors, aviation model, applied to medical malpractice cases, 19(6):627–632
Commentary
action planning: a call to action, 19(3):324–325
assessment for intimate partner violence: where do we stand?, 19(4):413–415
where should family medicine papers be published—following the impact factor?, 19(6):633–636
Community health center, characteristics of frequent attenders, 19(3):265–275
Computer applications, handheld computer smoking intervention tool, 19(4):350–357
Continuity of care, interpersonal, patients' perceptions, 19(4):390–397
Copper deficiency, as cause of unexplained hematologic and neurologic deficits, patient with prior gastrointestinal surgery, 19(2): 191–194
Correspondence
impact of religious attendance on life expectancy, 19(4):429–430
religious attendance: more cost-effective than Lipitor?, 19(4):430–433
Cough syrup, dextromethorphan, chronic addiction to, 19(3):320–323
COX-2 inhibitors, cardiovascular complications, prediction by natriuretic peptide levels, 19(2): 178–182
Cytology, results, of screening Papanicolaou smear, lack of effect of gel, 19(4):340–344

Deaf persons, assessment of depressive symptoms in, 19(2):141–147
Death, writing patient obituaries, 19(4):416–417
Decision-making, clinical, in blood pressure management of patients with diabetes mellitus, 19(3): 232–239
Decisions, provider deferred, on hemoglobin A1c results, 19(1):20–23
Depressive symptoms, assessment in deaf persons, 19(2):141–147
Dextromethorphan cough syrup, chronic addiction to, 19(3):320–323
Diabetes
glycemic control, provider deferred decisions on hemoglobin A1c results, 19(1):20–23
mellitus
patients with, blood pressure management, clinical decision-making in, 19(3):232–239
type 2, treatment of, new paradigms for, incretin mimetics and DPP-IV inhibitors, 19(6):612–620
research, translational, case study about, 19(1):85–92
Dialysis, peritoneal, primary care perspective, 19(4):380–389
Dipeptidyl peptidase-IV (DPP-IV), inhibitors, new paradigms for treatment of type 2 diabetes, 19(6):612–620
Disposal, of medications, patient practices and beliefs, 19(6):542–547
Domestic violence, screening questions about, mothers' comfort with, 19(4):358–367

Editorials
peer reviewing for *JABFM,* 19(6): 643–647
peer review process of *JABFM,* 19(2):209–210
Editors' Note, announcement of feature, 19(6):531

Electronic infrastructure, Primary Care Research Network, new era in practice-based research, 19(1):93–97

Emergency/Family Medicine, ABFM training, 19(5):528–529

Epidural analgesia, for labor, followed by Horner's syndrome and trigeminal nerve palsy, 19(5):521–523

Epiglottitis, indicated by tenderness over hyoid bone, 19(5):517–520

Errata, 19(2):214, 19(3):329, 19(4):436

Evidence-based clinical medicine
abnormal uterine bleeding, management algorithm, 19(6):590–602
approach to leg edema of unclear origin, 19(2):148–160
BI-RADS classification for management of abnormal mammograms, 19(2):161–164
hypertriglyceridemia, 19(3):310–316

Exercise, restless legs syndrome and, 19(5):487–493

Family medicine
graduates, changing practice patterns of, 19(4):404–412
importance of longitudinal studies, 19(1):69–74
journals, publication of papers, impact factor, 19(6):633–636
patients' use of the Internet for health information, 19(1):39–45
promise of, 19(2):183–190
settings, treatment of menopausal symptoms following WHI findings, 19(2):122–131
ways to improve evidence for, RE-AIMing research for application, 19(1):11–19

Family physicians
annual income, influence of race and gender, 19(6):548–556
knowledge, beliefs, and self-reported practice patterns regarding hyperlipidemia, 19(1):46–53
Maintenance of Certification self-assessment modules, 19(4):398–403
prescribing practices, effects of using free sample medications, 19(5):443–449
respected, management of difficult patient encounters, 19(6):533–541
role in cancer risk assessment, 19(5):468–477
youth tobacco-free education, outcomes of the Colorado Tar Wars program, 19(6):579–589

Fast food, brand name, prevalence and type of, at academic-affiliated hospitals, 19(5):526–527

Fatty acids, ω3, prescribing behaviors of primary care physicians, 19(5):459–467

Fecal occult blood, tests for, failure to detect gastrointestinal bleeding, 19(6):641–642

Fish oil, primary care physicians and ω3 fatty acid prescribing behaviors, 19(5):459–467

Foreign bodies, magnets, intestinal complications caused by, 19(5):511–516

Free sample medications, using, effects on prescribing practices of family physicians, 19(5):443–449

Gastrointestinal bleeding, of obscure origin, undetected by tests for fecal occult blood and diagnosed only by capsule endoscopy, 19(6):641–642

Gastrointestinal surgery, prior, patient with, copper deficiency as cause of unexplained hematologic and neurologic deficits, 19(2):191–194

Gel, use in screening Papanicolaou smear, lack of effect on cytology and comfort, 19(4):340–344

Gender differences
family physicians' annual incomes, 19(6):548–556
peripheral arterial disease, 19(2):132–140

Generalists, compared with specialists, myocardial infarction mortality, 19(3):291–302

Geriatricians, evaluation of quality improvement intervention in primary care, 19 (4):331–339

Glycemic control, provider deferred decisions on hemoglobin A1c results, 19(1):20–23

Group visits, qualitative review of current research, 19(3):276–290

Health information, use of Internet for, by family medicine patients, 19(1):39–45

Hematologic deficits, unexplained, copper deficiency as cause, patient with prior gastrointestinal surgery, 19(2):191–194

Hemoglobin A1c results, provider deferred decisions, 19(1):20–23

Herbal remedies, use by Hispanic patients, discussion with physicians, 19(6):566–578

Hereditary hemorrhagic telangiectasia, acute visual loss as presenting complaint, 19(6):637–640

Hiccups, intractable, suppression by carvedilol, 19(4):418–421

Hispanic patients, use of herbal remedies, discussion with physicians, 19(6):566–578

Horner's syndrome, trigeminal nerve palsy and, following epidural analgesia for labor, 19(5):521–523

Hyoid bone, tenderness over, as indicator of epiglottitis in adults, 19(5):517–520

Hyperlipidemia, family physicians' knowledge, beliefs, and self-reported practice patterns regarding, 19(1):46–53

Hypertension, peripheral neuropathy and, negative association between, 19(3):240–250

Hypertriglyceridemia, evidence-based clinical medicine, 19(3):310–316

Impact factor, publication of papers in family medicine journals, 19(6):633–636

Income, annual, of family physicians, influence of race and gender, 19(6):548–556

Incretin mimetics, new paradigms for treatment of type 2 diabetes, 19(6):612–620

Infants
adopted, nursing, 19(4):374–379
birth weight, maternal shoe size and, 19(4):426–428
delivery, continued loss of maternity care providers in Oregon, 19(6):648
well baby care, in first 2 weeks of life, factors that influence receipt of, 19(3):258–264

Influenza vaccination, increasing rates of, during pregnancy, 19(4):345–349

Internet
use by family medicine patients for health information, 19(1):39–45
web-based ADHD rating scale, teacher acceptability of, 19(2):195–200

Interpersonal continuity of care, patients' perceptions, 19(4):390–397

Intestinal complications, caused by magnet ingestion, 19(5):511–516

Intimate partner violence, assessment for, 19(4):413–415

Journal of the American Board of Family Medicine (JABFM)
peer reviewing for, 19(6):643–647
peer review process, 19(2):209–210
2005 reviewers, 19(2):205–208

Kidney disease, chronic, primary care physicians' knowledge and practice patterns, 19(1):54–61

Labor, epidural analgesia for, followed by Horner's syndrome and trigeminal nerve palsy, 19(5):521–523

Leg edema, of unclear etiology, approach to, 19(2):148–160

Lipitor, versus religious attendance, cost-effectiveness, 19(2):103–109
correspondence, 19(4):429–433

Longitudinal studies, importance in family medicine, 19(1):69–74

Magnet ingestion, intestinal complications caused by, 19(5):511–516

Maintenance of Certification for Family Physicians
early start, 19(5):528–529
enhancements, 19(2):211–213

questions & answers, 19(3):326–328
self-assessment modules, 19(4):398–403
Malpractice cases, medical, aviation model cognitive risk factors applied to, 19(6):627–632
Mammograms, abnormal, management of, BI-RADS classification, 19(2):161–164
Maternity care, loss of providers in Oregon, 19(6):648
Medical errors, reduction, implications of pharmacy callbacks in primary care, 19(1):24–30
Medicare, reorganizing, for older adults with chronic illness, 19(3):303–309
Menopausal symptoms, treatment in family medicine settings following WHI findings, 19(2):122–131
Myocardial infarction, mortality, review of studies comparing generalists and specialists, 19(3):291–302

Natriuretic peptide levels, prediction of cardiovascular complications of COX-2 inhibitors and NSAIDs, 19(2):178–182
Neurologic deficits, unexplained, copper deficiency as cause, patient with prior gastrointestinal surgery, 19(2):191–194
Newborns, well baby care, in first 2 weeks of life, factors that influence receipt of, 19(3):258–264
Nonsteroidal antiinflammatory drugs (NSAIDs), cardiovascular complications, prediction by natriuretic peptide levels, 19(2):178–182
Nursing, adopted infants, 19(4):374–379

Older adults, with chronic illness, reorganizing Medicare for, 19(3):303–309
Opioid analgesics, in primary care, management of noncancer pain, 19(2):165–177
Outcome, long-term, of cardiovascular prevention, 19(1):62–68

Pain, noncancer, management of, opioid analgesics in primary care, 19(2):165–177
Papanicolaou smear, screening, cytology and comfort, lack of effect of gel, 19(4):340–344
Parvovirus B19, presenting with severe sepsis, in previously healthy 25-year-old female, 19(3):317–319
Patient comfort
during screening Papanicolaou smear, lack of effect of gel, 19(4):340–344
with screening questions about sensitive issues, 19(4):358–367
Patient perceptions, interpersonal continuity of care, 19(4):390–397
Patient-physician relationship
management of difficult patient encounters, 19(6):533–541
role in primary medication adherence, rural population, 19(5):478–486
Patient safety, improvement, implications of pharmacy callbacks in primary care, 19(1):24–30
Patient satisfaction, with care, role in primary medication adherence, rural population, 19(5):478–486
Pedometers, as a means to increase walking and achieve weight loss, 19(5):524–525
Peer review
2005 *JABFM* reviewers, 19(2):205–208
process, 19(2):209–210; 19(6):643–647
Peripheral arterial disease, gender and, 19(2):132–140
Peripheral neuropathy, hypertension and, negative association between, 19(3):240–250
Peritoneal dialysis, primary care perspective, 19(4):380–389
Pertussis, infection, in the United States, role for vaccination of adolescents and adults, 19(6):603–611
Pharmacies, clarification of prescriptions ordered in primary care, 19(1):24–30
Physical symptoms, in emotionally abused and non-abused women, 19(2):201–204
Physician-patient interaction, for smoking cessation medications, 19(3):251–257
Pisacano Scholars
for 2005, 19(1):98–101
for 2006, 19(6):649–651
Practice-based research networks
Collaborative Research Network case study in diabetes research, 19(1):85–92
electronic Primary Care Research Network (ePCRN), 19(1):93–97
experiences, importance of longitudinal research in family medicine, 19(1):69–74
patients, practices, and relationships, 19(1):75–84
practice facilitators and, 19(5):506–510
primary care, short history, 19(1):1–10
Practice facilitators, practice-based research networks and, 19(5):506–510
Pregnancy
alcohol-exposed, preventing, 19(5):494–505
appendicitis in, 19(6):621–626
choroid plexus cysts, 19(4):422–425
continued loss of maternity care providers in Oregon, 19(6):648
increasing rates of influenza vaccination during, 19(4):345–349
Prescriptions
ordered in primary care, pharmacy clarification of, 19(1):24–30
refills, management in primary care, 19(1):31–38
Primary care
behavior-change action plans in, feasibility study of clinicians, 19(3):215–223
harm resulting from inappropriate telephone triage, 19(5):437–442
management of prescription refills, 19(1):31–38
patients, healthy behaviors, use of action plans, descriptive study, 19(3):224–231
perspective, peritoneal dialysis, 19(4):380–389
physicians
knowledge and practice patterns in treatment of chronic kidney disease, 19(1):54–61
in underserved communities, effectiveness of academic detailing on breast cancer screening, 19(2):110–121
ω3 fatty acid prescribing behaviors, 19(5):459–467
practice-based research networks, short history, 19(1):1–10
prescriptions ordered in, pharmacy clarification of, 19(1):24–30
quality improvement intervention, role of geriatricians, 19(4):331–339
Primary Care Research Network, electronic, new era in practice-based research, 19(1):93–97
Primary medication, adherence, role of patient-physician relationship and satisfaction with care, rural population, 19(5):478–486
Psychological symptoms, in emotionally abused and non-abused women, 19(2):201–204
Psychosocial factors, integration in medicine, barriers to, results of national survey of physicians, 19(6):557–565

Race/ethnicity, influence on family physicians' annual incomes, 19(6):548–556
RE-AIM framework, ways to improve evidence for family medicine, 19(1):11–19
Reflections in Family Medicine, goodbyes, writing clinical obituaries, 19(4):416–417
Religious attendance, versus Lipitor, cost-effectiveness, 19(2):103–109
correspondence, 19(4):429–433
Research Letters
fast food, prevalence and brand type, academic-affiliated hospitals, 19(5):526–527
maternity care in Oregon, physician survey, 19(6):648
pedometers, increased walking and weight loss, 19(5):524–525
Restless legs syndrome, exercise and, 19(5):487–493

Self-assessment modules, Maintenance of Certification for Family Physicians, 19(4):398–403

Sensitive issues, screening questions about, mothers' comfort with, 19(4):358–367

Sepsis, severe, parvovirus B19 presenting with, in previously healthy 25-year-old female, 19(3):317–319

Shoe size, maternal, infant birth weight and, 19(4):426–428

Smoking, family physicians and youth tobacco-free education, outcomes of the Colorado Tar Wars program, 19(6):579–589

Smoking cessation
counseling, effects of handheld computer smoking intervention tool, 19(4):350–357
medications, physician-patient interaction, 19(3):251–257

Special communications
aviation model cognitive risk factors applied to medical malpractice cases, 19(6):627–632
changing practice patterns of family medicine graduates: a comparison of alumni surveys from 1998 to 2004, 19(4):404–412
Maintenance of Certification for Family Physicians (MC-FP) self-assessment modules (SAMs): the first year, 19(4):398–403
promise of family medicine: history, leadership, and the Age of Aquarius, 19(2):183–190
RE-AIMing research for application: ways to improve evidence for family medicine, 19(1):11–19
short history of primary care practice-based research networks: from concept to essential research laboratories, 19(1):1–10

Specialists, compared with generalists, myocardial infarction mortality, 19(3):291–302

Statin therapy, versus religious attendance, cost-effectiveness, 19(2):103–109
correspondence, 19(4):429–433

Teachers, acceptability of web-based ADHD rating scale, 19(2):195–200

Telephone triage, inappropriate, in primary care, harm resulting from, 19(5):437–442

Trigeminal nerve palsy, Horner's syndrome and, following epidural analgesia for labor, 19(5):521–523

T-SKAMP, acceptability by teachers, 19(2):195–200

Vaccination
influenza, increasing rates of, during pregnancy, 19(4):345–349
pertussis, of adolescents and adults, 19(6):603–611

Vaginal pH, determination by patients and physicians, variability of, 19(4):368–373

Vision loss, in hereditary hemorrhagic telangiectasia, 19(6):637–640

Walking, pedometers as a means to increase, 19(5):524–525

Weight loss, pedometers as a means to achieve, 19(5):524–525

Women, emotionally abused and nonabused, physical and psychological symptoms, 19(2):201–204

Women's Health Initiative (WHI), findings, subsequent treatment of menopausal symptoms in family medicine settings, 19(2):122–131